









We believe in challenging the norm to better serve all our customers and the industry. It is our culture to strive for perfection in all our endeavors as a

Total Coating Solutions provider to best manage your property.

Tay Sze Tuck General Manager, Paint Marketing Co. (M) Sdn. Bhd.

Established in 1967, Nippon Paint Malaysia Group is part of Nippon Paint Group, Asia's No. 1 coating manufacturer spanning 15 countries and regions, built on a heritage of 130 years dating back to 1881 in Japan. We are recognized as Malaysia's No. 1 Total Coating Solutions provider since 2008, with strong regional presence in Asian countries.

The secret to our success is a strong emphasis on product innovation, which has led us to become a global leader in coating technologies offering Total Coating Solutions with a multi-segment, multi-substrate and multi-industry portfolio.

NIPPON PAINT GREEN CHOICE SERIES


To create a sustainable future for all, our Green Choice Series comprises of water-based, no added lead and mercury, and near-zero Volatile Organic Compounds (VOC) coatings. VOC are harmful chemicals that vaporize into gases at room temperature, contributing to air pollution and various health problems. These emissions cause damage to the ozone layer, increase the rate of global warming due to the greenhouse effect, and

AWARDS & RECOGNITION

contaminate the soil and groundwater.

- Reader's Digest Trusted Brand Awards (2006-2019)
- Putra Brand Awards (2010-2019)
- Paint Company of the Year (2016)
- New Product Innovation Leadership Award (2016)
- Green Label Certification (by the Singapore Environment Council)
- EcoLabelling Certification Licence (by SIRIM QAS International)
- Green Excellence Award (by Frost & Sullivan)

SAFER FOR YOUR HEALTH



A repainting job will unleash a new lease of life to an existing building. It improves building aesthetics by giving it a fresh look and deftly covering the imperfections like mark and dirt.

Other than that, repainting also enables you to increase the longevity and value of your building. A fresh building facade portrays a sense of comfort and professionalism to occupants and even potential investors.



More value and benefit for property owners.



BENEFITS OF REPAINTING



























* Disclaimer: 7 Years warranty applicable for Nippon Weatherbond with full painting system. Nippon Weatherbond Advance: 10 Years, Nippon Weatherbond Solareflect: 10 Years.



Assurance of good quality painting work.

Why choose Nippon Paint as your building maintenance partner?

We provide more than just quality products. Our quality services will also assure repainting experience and outcome.

- TRUSTED BRAND FOR MORE THAN 50 YEARS IN MALAYSIA

 We have professional applicators with various types of access such as abseiling, skylift, scaffolding, etc.
- PRODUCT SOLUTIONS FOR EVERY SURFACE

 Total Coating Solutions from floor to roof and everything in between. Waterproofing is our new solution to better protect your building.
- We'll be there for site meetings, and paint assessment on-site to tackle any application issues.
- PROFESSIONAL COLOUR CONSULTATION TEAM

 We also provide colour scheme service with 2D & 3D video elevation which allows you to get an impression on how your building looks like.
- COMPREHENSIVE METHOD STATEMENT

 We'll prepare a document on each standard procedure and tasks performed on the worksite for you to audit.
- WARRANTY
 We will also provide you with peace of mind by assuring you with Product Warranty and 7 years Performance Warranty that covers the paint and workmanship.
- **SAFETY MEASURES**We put on-site construction safety as our utmost priority. We provide barricade tape, WARNING signs and banners, and canvas the area to protect it from paint drops.





Pre, During, Post: Ensuring best painting workmanship for you.

We will guide you at every step to ensure the best in quality and satisfaction.



CONSTRUCTION SITE ASSESSMENT

A site assessment will be done together with the applicator, to identify problematic areas such as hairline cracks, water leakage, fungus, etc.



RECOMMENDATIONS AND COLOUR SCHEME PROPOSAL

From the site assessment, we will advise you accordingly and provide you with the quotation. Our team of Colour Experts will prepare a few Colour Schemes for better visualisation. We will provide presentation assistance during your events or meetings to communicate the repainting process with the tenant of the property.



COMMENCEMENT OF WORK

Repainting work will commence upon confirmation of the rectification and product recommendation. We'll provide technical support and quality control to ensure everything is done properly.



POST-PAINTING ASSESSMENT

After repainting work has completed, we'll thoroughly assess the site and do site sample evaluation if necessary to ensure everything is up to standard.



HANDOVER

Finally, we will handover the property back to you, together with the Method Statement documents that detail all repainting tasks performed on site.







Quality is our promise to you.

Quality control and site inspection are critical steps in our repainting process. Our Technical Service team will conduct periodic site inspections and supervision to ensure proper application procedures and the best possible workmanship.



NIPPON PAINT CO. Cre



OUR END-TO-END QUALITY ASSURANCE

PRE-REPAINTING

- Site inspection to determine the right surface preparation methodology and the proper coatings solution.
- Substrate moisture level testing at an acceptable range of 16% or below
- Installation of required instruments such as abseiling, skylift, scaffolding, etc.

DURING REPAINTING

- Inspection on surface preparation.
- Ensuring proper application methods and workmanship.
 - ► Type of paint used ► Mixing ratio
 - Recoat time interval
 - Proper coating system
 - Painting process

POST REPAINTING

- Quality inspection of the final results.
 - ► Colour consistency ► Peeling
 - ► Sagging ► Wrinkling ► Opacity

How to deal with wall problems?











8000 ADVANCE SEALER



EFFLORESCENCE

Caused by migration of water-soluble salts from cement surface that is not fully dried before painting.

- Excellent efflorescence resistance
- Excellent alkaline
- Excellent adhesion









FLEXISEAL ELASTOMERIC MEMBRANE



HAIRLINE CRACKS

Caused by expansion or contraction of wall surface.

- Highly flexible filler
- Excellent crack-bridging
- Excellent water resistance






FUNGICIDAL WASH



FUNGUS


Caused by dampness of cement surface.

- Kills 99.9% fungus effectively
- Anti-bacterial
- Only 24 hours (minimum) to dry









POWDER

SURFACE

PEELING





WATERMARK

Caused by migration of moisture from surface that is not fully dried before painting.

(NT) (EXT) Solvent-based

- Good for chalky and
- powdery surfaces

 Good efflorescence and alkaline resistance
- Good adhesion







Solvent-based

HI-BOND WALL SEALER

WHITE PATCHES*

Caused by water-soluble surfactant leeching from old paint film which create discolouration when moisture evaporates.



POWDERY SURFACE

Caused by construction work of skim-coated surface or plaster ceiling.

PEELING

Caused by expired old paint film or incorrect painting system.

- Anti-peeling
- Blocks waterborne stains
- Good for chalky and powdery surfaces

^{*} Recommended coating system: 1 coat of HI-BOND WALL SEALER and 2 coats of ODOUR~LESS AIRCARE.

Total Coating Solutions that protect your property -

from floor to roof and everything in between.

As the leading Total Coating Solutions provider, we have the widest range of innovative products for surfaces from roof to floor and everything in between.



EXTERIOR SOLUTION WITH SPECIAL FUNCTION







Elastomeric paint that can cover hairline cracks.







INDOOR AIR









5200 Interior Sealer

Odour-less Aircare

Anti-formaldehyde interior coatings, Odour-less Aircare with Active Carbon Technology that continually converts harmful free formaldehyde into water vapour, resulting in clean fresh air.















TRANSFORM YOUR ORDINARY MASTERPIECE





MOMENTO TEXTURED SERIES

Premium line of opaque Nippon Momento Special Effect Paint that can be applied in lieu of traditional wall paint, transforming ordinary interiors into enchanting works of art.









YOUR **EXTERIOR SOLUTIONS**



5100 Wall Sealer

7 years of protection against efflorescence, fungus and algae growth.













5100 Wall Sealer

10 years of protection against efflorescence, fungus and algae growth.









Resistant againt peeling flaking & efflorescence



Expresskote Sealer*

Breathable Silicon Paint with water vapour permeability for high-moisture areas.











Weatherbond Solareflect

Heat resistant with Sunblock Technology. Reduce surface temperature up to 5°C.













* Only for repainting systems



AN ANTI-VIRAL & ANTI-BACTERIAL SOLUTION FOR YOUR CHILD





5200 Interior Sealer



Silver Ion technology. Inhibits growth of viruses like Hand Foot Mouth Disease and H1N1 (Swine Flu).











Good scrub resistance



MOMENTO ENHANCER SERIES

A special line of semi-transparent Nippon Momento Special Effect Paint that can be glazed over any existing wall colour, enhancing your favourite colours into exciting new walls.





Texture paint

Green



MOMENTO DESIGNER SERIES

A sophisticated line of professional special effect paint that masterfully mimics real-life textures with new special effects for a whole new spectrum of unlimited creativity.







Waterproofing solutions.

From basement to roof.







SEAL AND REPAIR YOUR
CRACKS WITH
NIPPON PAINT
CRACKJET PU FLEXIBLE

To seal cracks and stop water leakage.





COVER CRACKS ON YOUR FLAT ROOF WITH NIPPON PAINT LM ACR

Seamless liquid applied membrane with strong UV resistance.













PROTECT YOUR DRIVEWAY WITH **NIPPON LM POLYUREA SA 7102**

Waterproof your driveway to avoid water seeping in.











Reduces



RE-WATERPROOF YOUR LEAKY BATHROOM WITH **NIPPON PAINT LM PU BIT WB**

Low VOC, PU modified bituminous waterproofing that's suitable for your bathroom.



SOLVE YOUR WATER LEAK ISSUE IN YOUR **BASEMENT WITH NIPPON PAINT LM PU SIL**

Protect your basement from water in the soil.

High performance floor coating.


Excellent & durable protection for flooring.

INDUSTRIAL FLOORING



Nippon FloorShield AQUA EPOXY

Agua Epoxy is a two-component high-performance water-based polyamide amine adduct cured epoxy coating specifically designed for the protection of internal masonry surfaces such as cement or concrete floors, cement or concrete walls, as well as glazed tiles with an appropriate primer. Ideal for factories, canteen, electronics, industries, pharmaceutical, hospital, offices and institutions.



Coating System

- Prepared & Treated Concrete
- Aqua Epoxy Primer Agua Epoxy Finish
- 3 Aqua Epoxy Finish




















Nippon FloorShield SOLVENT FREE EPOXY

Coloured, ready-to-use and solvent free sealing compound of high-grade epoxy resin. It produces 100% solid and abrasion resistant coatings. The coatings exhibit a good resistance to fuels, lubricants, most solvents and many chemicals.



Coating System

- Prepared & Treated Concrete
- Solvent Free Epoxy Primer
- Solvent Free Epoxy Finish





Chemical














Nippon FloorShield SELF LEVELING EPOXY

Self-smoothing epoxy resin floor finish. It is designed to withstand high impact activities such as fork-lift traffic and chemical spillages in industrial and warehousing floors.



Coating System

- Prepared & Treated Concrete
- Solvent Free Epoxy Primer Self-Levelling Epoxy Fin














CAR PARK FLOORING



Nippon DeckGuard EXPOSED DECK ED

Epoxy build-up system incorporating trafficable effective waterproofing system designed specifically for exposed car parks where extreme weathering exposures and high wearing activities from vehicular traffic imposes synergistic stress to conventional car park systems.



Coating System

- Prepared & Treated Concrete
- Solvent Based Epoxy Primer
- 2 LM PolyUrea HA
- 3 Solvent Based PU Primer
- 4 Quartz Scatter 36 Medium
 5 Solvent Free PU Body Coat
- 6 Solvent Based PU Finish














Nippon DeckGuard INTERMEDIATE DECK ID

Epoxy build-up system that provides hard wearing anti-slip surface for stable handling of vehicles.



Coating System

- O Prepared & Treated Concrete
- Solvent Based Epoxy Primer
- 2 Solvent Free Epoxy Body Coat
- Quartz Scatter 36 Medium
- Solvent Free Epoxy Finish
 Solvent Based PU Finish












INTERMEDIATE CAR PARK

Nippon DeckGuard BASEMENT DECK BD

Epoxy system incorporating moisture barrier system designed specifically for basement car parks where high moisture in the substrate and high wearing activities from vehicular traffics imposes synergistic stress to conventional car park systems.



Coating System

- Prepared & Treated Concrete
- Solvent Free Epoxy Primer
- Solvent Free Epoxy Mortar
- 3 Solvent Free Epoxy OP Textured
- 4 Solvent Free Epoxy Body Coat
- Quartz Scatter 36 Medium
- 6 Solvent Free Epoxy Body Coat
- 7 Solvent Free Epoxy Finish8 Solvent Based PU Finish











UV esistant

Sound Mo dampening to

Moisture

Our solutions provided satisfaction.

The uplifting words we've received after each successfully completed project inspires us to deliver more innovative paint solutions and quality service for all your coating needs.





10 Semantan Block B Condominium





Savanna Condominium, Bukit Jalil



Jasmine Tower Condominium, SS2



KL Trillion

www.simlian.com.sg

JASMINE TOWERS MANAGEMENT CORPORATION

GROUND FLOOR, BLOCK B, JASMINE TOWER CONDOMINIUM 26, JALAN SS2/72, 47300 PETALING JAYA, SELANGOR. TEL NO: 03-76245945/ FAX: 03-76245946

NIPPON PAINT (M) SDN. BHD. PAINT MARKETING CO. (M) SDN BHD Lot I-17, Taman Perindustrian Subang Utama, Jalan SU4, 40300 Shah Alam Selangor Darul Ehsan

August 26, 2016

TO WHOM IT MAY CONCERN

REPAINTING OF JASMINE TOWER CONDOMINIUM 26, JALAN SS 2/72, 46200 PETALING JAYA

PAINT MANUFACTURER APPROVED APPLICATOR

On behalf of the owners and members of the Management Council of Jasmine Towers Condominium, we would like to express our satisfaction for the abovementioned project which, besides being completed on schedule was carried out with umost professionalism. The workmankip and quality of rectilication of cracks and surface preparation had also met our specifications, stringent requirements and above all our expectations.

Additionally throughout the duration of the project, there was excellent management support from Mr. Sean Tan and Natural Deluxe Sdn. Bhd.

An example that the Applicator went the extra mile was when one of his workers accidentally painted over the murals on one of the pillars in our café. To rectify this error, not only did the Applicator offered to pay for the one pillar but also all the murals in the café as well as paying the visiting artist for her time.

Though NIPPON PAINT (M) SDN. BERHAD's quote was not the lowest, yet we believe we have made the right choice of partner(s) for this project.

Yours faithfully, for JASMINE TOWERS MANAGEMENT COUNCIL, MONDAKAMARUZZAMAN CHATRIMAN

ANY E TOWERS MANAGEMENT COUNCIL

JASMINE TOWERS MANAGEMENT CORPORATION [SSI: 3900] 107A, Ground Floor, Block B, Jasmise Towers, Jaha SSZ/72, 47300 Penaing Jaya, Schanger Tel: 03-7624 545 Fax: 03-7624 5946



Our Ref : SLCM/NPMSB/0009/2017

March 13, 2017

NIPPON PAINT (M) SDN. BHD.
PAINT MARKETING CO. SDN. BHD.
Lot 1-17, Taman Perindustrian Subang Utama,
Jalan SU4, 40300
Shah Alam
Selangor Darul Ehsan

TO WHOM IT MAY CONCERN

- CADANGAN PEMBANGUNAN 3 BLOK BANGUNAN KOMERSIL TERMASUK 5 ARAS PODIUM YANG MENGANDUNGI
1 BLOK PELBART 34 TINGKAT

11) 10 UNIT KEDAL 4-0 UNIT PELBART

110) 4 TINGKAT TEMPAT LETTAK KERETA BERTINGKAT BERSERTA 2 TINGKAT BESMEN

110) 4 TINGKAT TEMPAT LETTAK KERETA BERTINGKAT BERSERTA 2 TINGKAT BESMEN

111) 7 RUANGAN KEMUDAHAN

112) 8 BLOK PANGSAPURI SERVIS 40 TINGKAT (168 UNIT)

10) 1 ATAS FT 2-6 SERSYEN 88A LOT LAMAL LOT 49-56 (SERSYEN 884) & LOT 112-115 & 120

(SERSYEN 43), JALAN TUN RAZAK, KULAL LUMPUR (KL TRILLION)

SUPPLY & APPLY AND MAINTENANCE OF ANTI-SEND AND ANTI-SCRECCH EPOXY COATING

TO CONCRETE FLOOR DRIVEWAY, RAMP AND CARPARK LOTS

NIPPON PROFESSIONAL CARPARK FLOORING APPLICATION FOR SLC (\mathbf{M}) SDN BHD

FLOOR COATING MANUFACTURER: NIPPON PAINT (M) SDN. BHD.

EPOXY FLOORING SYSTEM:

NIPPON FLOORSHIELD CARPARK SYSTEM

On behalf of the Project team at SLC (M) Sdn Bhd, I would like to express our gratification that the abovementioned works were completed on schedule. The workmanship and quality of rectification and surface preparation had met all of our specifications and stringent requirements.

Additionally, we would like to express our sincere appreciation towards the professionalism demonstrated by Mr Sean Tan his efficient mobilisation of resources, excellent workmanship and professional advice throughout the duration of this project.

We trust the above is in good order and should you require further information, please do not hesitate to contact us.

Thank you.

Yours faithfully, SLC (M) SDN BHD

nd LAU CHENG RIW















Project portfolios.

We're truly proud to have completed thousands of projects across Malaysia over the years. Here are some that have used our coating solutions to create a long-lasting reputation.









RESIDENTIAL

Dataran Prima Condo Union Height Condo Jasmine Tower Condo Villa Puteri Condo Sri Golden Bay Condo



COMMERCIAL

Wisma Lim Foo Yong Sunway Putra Hotel Majestic Hotel, KL Hard Rock Hotel, PG



EDUCATION

UUM Sintok



PUBLIC AMENITIES

Masjid Kangkong PLUS R&R Ayer Keroh

For more project references, please log on to professional.nipponpaint.com.my

FOR MORE TOTAL COATING SOLUTIONS BY NIPPON PAINT, VISIT **WWW.PROFESSIONAL.NIPPONPAINT.COM.MY**





NIPPON PAINT (M) SDN. BHD. (196701000578)

Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4, 40300 Shah Alam, Selangor Darul Ehsan, Malaysia.

- 1-800-88-2663 = customercare@nipponpaint.com.my
- mww.nipponpaint.com.my | professional.nipponpaint.com.my