



**NIPPON
PAINT**



CONSTRUCTION WALL & TILE FINISHING SOLUTION

Plaster | Render • Skimcoat • Tile Adhesive • Waterproofing • Architectural Coating • Floor Screed




Protect your building with
PROFESSIONAL
TOTAL COATING & CONSTRUCTION
SOLUTIONS

PROFESSIONAL.NIPPONPAINT.COM.MY

ARCHITECTURAL | PROTECTIVE | INDUSTRIAL | MARINE | AUTOMOTIVE | WATERPROOFING | DRYMIX



NIPPON PAINT INSPIRED BY YOU



Over the years, Nippon Paint has always delivered high quality coating solutions to homeowners and tradesmen alike. We listen to our customers and empower our teams to understand the markets, industries, and consumers that we serve. Our renewed 'people-first' focus drives us to achieve a sustainable business growth and build solutions inspired by the needs of our key stakeholders. Our commitment to innovation and sustainability therefore goes hand-in-hand, as we leverage our technical capabilities to make a difference in the lives of our customers and the communities we serve.

NIPPON PAINT TOTAL COATINGS CONSTRUCTION SOLUTIONS

Nippon Paint pushes innovation boundaries with a comprehensive one-stop coatings and construction product range that offer high quality, total compatibility, beautiful finishing and protection at every layer- from floor to roof and everything in between. We are now changing the market practice, being the only company in the region thus far that provides complete solutions – plaster, render, skim coat, tile adhesive, waterproofing, flooring, protective and architectural coating.


NIPPON PAINT DRYMIX SOLUTION



CMI® is an established brand of Drymix range of products, offering wide range of pre-packed cementitious finishing goods, comprises of plaster/render, skim coat, floor screed, tile adhesive, waterproofing, technical mortar, etc.


Creating a perfect walls & floors requires proper compatible product systems. At Nippon Paint, we believe to deliver a perfect finishing, it is impertinent to build layers that are truly compatible, not just the finishing. Today we incorporate CMI®, a reputable drymix solution provider with 25 years of industry experience into our product systems, providing you the perfect Total Coating & Construction Solutions from bare to finish.

Common Wall & Floor PROBLEMS



Hairline Cracks

- Incorrect cement mortar
- High shrinkage in mortar
- Improper mixing
- Poor workmanship



Powdery Finish

- Low quality skim coat
- Substrate too dry



Blistering

- Insufficient curing of plaster or skim coat
- Moisture penetration from substrate



Efflorescence

- Migration of soluble salts from substrates
- Water seepage from cracks




Peeling Paint

- Powdery surfaces
- Moisture penetration
- Poor surface preparation



Falling Tiles

- Incorrect tile adhesives
- Improper mixing | application
- Poor workmanship



Moulding

- Absences of anti-mould skimcoat or paint
- High humidity



Hollowness

- Incorrect cement mortar
- Excessive shrinkage
- Poor workmanship
- Poor surface preparation




CONTENT

| | |
|--|---------|
| ● Wall Finish | |
| ■ Brick Wall | 5 - 6 |
| ■ Block Wall | 7 - 8 |
| ■ RC Wall | 9 - 10 |
| ● Tile Adhesive & Grout | 11 - 14 |
| ● Nippon CMI [®] Installation System Total Coating and Construction Solution Project Reference | 15 - 18 |



BRICK WALL
BLOCK WALL
RC WALL





WINDOW PERIMETER SEALING



Neutral Silicone Sealant
(V-Tech VT-210 High Performance Sealant)



MS Sealant
(V-Tech VT-620 LM MS Sealant)


INTERNAL WALL | Paint Finish




































- 1 Bricklaying**
(Nippon CMI® Masonry Mortar 086)
- 2 Plastering | Rendering**
(Nippon CMI® Masonry Mortar 086)
- 3 Skim Coat (Base Coat)**
(Nippon CMI® Base Mortar Grey 781)
- 4 Skim Coat (Top Coat)**
(Nippon CMI® WallSkim White 281)
- 5 Painting (Sealer)**
(Nippon 5300 Base Coat Sealer)
- 6 Painting (Finishing)**
(Nippon Matex Pro ECO)

EXTERNAL WALL

- 1 Bricklaying**
(Nippon CMI® Masonry Mortar 086)
- 2 Plastering | Rendering**
(Nippon CMI® Masonry Mortar 086)
- 3 Skim Coat (Top Coat) (Optional)**
(Nippon CMI® Base Mortar Grey EX981)
- 4 Painting (Sealer)**
(Nippon 5100 Wall Sealer)
- 5 Painting (Finishing)**
(Nippon Weatherbond | Advance | Solareflect)

BRICK WALL SOLUTIONS



| | | | | | | | | | | |
|--|---|---|--------------------------------|---|---|---|--|---|------------------|--|
| STEP 1 | BRICKLAYING | | | | | | | | | |
| | Nippon CMI® MASONRY MORTAR 086  | | | | | | | | | |
| STEP 2 | PLASTERING / RENDERING | | | | | | | | | |
| | Nippon CMI® MASONRY MORTAR 086  | | | | | | | | | |
| STEP 3 | INTERIOR | EXTERIOR | | | | | | | | |
| | SKIM COAT (BASE COAT) | SKIM COAT (TOP COAT) (OPTIONAL) | | | | | | | | |
| | GREY or WHITE | SEMI - SMOOTH or TEXTURED | | | | | | | | |
| | <table border="1"> <tr> <td>NIPPON CMI® BASE MORTAR GREY 781 </td> <td>or</td> <td>NIPPON CMI® BASE MORTAR WHITE 381 </td> </tr> </table> | NIPPON CMI® BASE MORTAR GREY 781  | or | NIPPON CMI® BASE MORTAR WHITE 381  | <table border="1"> <tr> <td>NIPPON CMI® BASE MORTAR GREY EX 981 </td> <td>or</td> <td>NIPPON CMI® RENDER 081 </td> </tr> </table> | NIPPON CMI® BASE MORTAR GREY EX 981  | or | NIPPON CMI® RENDER 081  | | |
| NIPPON CMI® BASE MORTAR GREY 781  | or | NIPPON CMI® BASE MORTAR WHITE 381  | | | | | | | | |
| NIPPON CMI® BASE MORTAR GREY EX 981  | or | NIPPON CMI® RENDER 081  | | | | | | | | |
| STEP 4 | SKIM COAT (TOP COAT) | ECO FRIENDLY PAINT | | | | | | | | |
| | GREY or WHITE | BASIC | | | | | | | | |
| STEP 5 | SEALER | INTERMEDIATE COAT | | | | | | | | |
| | <table border="1"> <tr> <td>NIPPON CMI® WALLSKIM GREY 681 </td> <td>or</td> <td>Nippon CMI® WALLSKIM WHITE 281 </td> </tr> </table> | NIPPON CMI® WALLSKIM GREY 681  | or | Nippon CMI® WALLSKIM WHITE 281  | <table border="1"> <tr> <td>Good Hiding</td> <td> NIPPON 5100 WALL SEALER</td> </tr> </table> | Good Hiding |  NIPPON 5100 WALL SEALER | | | |
| NIPPON CMI® WALLSKIM GREY 681  | or | Nippon CMI® WALLSKIM WHITE 281  | | | | | | | | |
| Good Hiding |  NIPPON 5100 WALL SEALER | | | | | | | | | |
| STEP 6 | FINISH COAT | ECO FRIENDLY PAINT | | | | | | | | |
| | | GOOD WASHABILITY | | | | | | | | |
| | | ANTIMICROBIAL | | | | | | | | |
| | | STANDARD | | | | | | | | |
| STEP 6 | FINISH COAT | ECO FRIENDLY PAINT | | | | | | | | |
| | | BASIC | | | | | | | | |
| | | HIGH PERFORMANCE | | | | | | | | |
| | | Solar Reflective | | | | | | | | |
| <table border="1"> <tr> <td> NIPPON ECO 5000</td> <td>Anti-Viral & Anti-Bacterial</td> </tr> <tr> <td> NIPPON MATEX PRO ECO</td> <td>NIPPON VIRUSGUARD NIPPON SPOT-LESS+ NIPPON VINILEX FRESH+</td> </tr> </table> | |  NIPPON ECO 5000 | Anti-Viral & Anti-Bacterial |  NIPPON MATEX PRO ECO | NIPPON VIRUSGUARD NIPPON SPOT-LESS+ NIPPON VINILEX FRESH+ | <table border="1"> <tr> <td>7 Years Protection</td> <td> NIPPON WEATHERBOND</td> </tr> <tr> <td>Solar Reflective</td> <td> NIPPON WEATHERBOND SOLAREFLECT</td> </tr> </table> | 7 Years Protection |  NIPPON WEATHERBOND | Solar Reflective |  NIPPON WEATHERBOND SOLAREFLECT |
|  NIPPON ECO 5000 | Anti-Viral & Anti-Bacterial | | | | | | | | | |
|  NIPPON MATEX PRO ECO | NIPPON VIRUSGUARD NIPPON SPOT-LESS+ NIPPON VINILEX FRESH+ | | | | | | | | | |
| 7 Years Protection |  NIPPON WEATHERBOND | | | | | | | | | |
| Solar Reflective |  NIPPON WEATHERBOND SOLAREFLECT | | | | | | | | | |



WINDOW PERIMETER SEALING



Neutral Silicone Sealant
(V-Tech VT-210 High Performance Sealant)



MS Sealant
(V-Tech VT-620 LM MS Sealant)
















INTERNAL WALL | Paint Finish


- 1 Block Jointing**
(Nippon CMI® BlockFix 187)
- 2 Surface Preparation (Optional)**
(Nippon CMI® Mortar Bond 330)
- 3 Skim Coat (Base Coat)**
(Nippon CMI® BlockSkim 782)
- 4 Skim Coat (Top Coat)**
(Nippon CMI® WallSkim White 281)
- 5 Painting (Sealer)**
(Nippon 5300 Base Coat Sealer)
- 6 Painting (Finishing)**
(Nippon Matex Pro ECO)

EXTERNAL WALL

- 1 Block Jointing**
(Nippon CMI® BlockFix 187)
- 2 Plastering | Rendering**
(Nippon CMI® Render 082 SP)
- 3 Skim Coat (Top Coat)**
(Nippon CMI® Base Mortar Grey EX981)
- 4 Painting (Sealer)**
(Nippon 5100 Wall Sealer)
- 5 Painting (Finishing)**
(Nippon Weatherbond | Advance | Solareflect)

BLOCK WALL SOLUTIONS

| | | |
|---|---|---|
| STEP 1 | BLOCK JOINTING | |
| | NIPPON CMI® BLOCKFIX 187 | |
| STEP 2 | INTERIOR | EXTERIOR |
| | SURFACE PREPARATION (OPTIONAL) | PLASTERING / RENDERING |
| | <p>NIPPON CMI® MORTAR BOND 330 </p> <p>SKIM COAT (BASE COAT)</p> <p>GREY or WHITE</p> <p>NIPPON CMI® BLOCKSKIM 782  NIPPON CMI® BASE MORTAR WHITE 381 </p> | <p>NIPPON CMI® RENDER 082 SP </p> |
| <p>SKIM COAT (TOP COAT)</p> <p>GREY or WHITE</p> <p>NIPPON CMI® WALLSKIM GREY 681  NIPPON CMI® WALLSKIM WHITE 281 </p> | <p>SKIM COAT (TOP COAT) (OPTIONAL)</p> <p>SEMI - SMOOTH</p> <p>NIPPON CMI® BASE MORTAR GREY EX 981 </p> | |
| STEP 4 | SEALER | ECO FRIENDLY PAINT |
| | <p>BASIC</p> <p>NIPPON 5300 BASECOAT SEALER </p> | <p>PREMIUM</p> <p>NIPPON 5200 WALL SEALER </p> |
| STEP 5 | FINISH COAT | INTERMEDIATE COAT |
| | | ECO FRIENDLY PAINT |
| | | <p>BASIC</p> <p>Good Hiding</p> <p>NIPPON 5100 WALL SEALER </p> |
| <p>GOOD WASHABILITY</p> <p>NIPPON ECO 5000 </p> | <p>ANTIMICROBIAL</p> <p>Anti-Viral & Anti-Bacterial</p> | |
| <p>STANDARD</p> <p>NIPPON MATEX PRO ECO </p> | <p>NIPPON VIRUSGUARD NIPPON SPOT-LESS+ NIPPON VINILEX FRESH+</p>  | |
| <p>7 Years Protection</p> <p>NIPPON WEATHERBOND </p> | <p>HIGH PERFORMANCE</p> <p>Solar Reflective</p> <p>NIPPON WEATHERBOND SOLAREFLECT </p> | |



WINDOW PERIMETER SEALING



Neutral Silicone Sealant
(V-Tech VT-210 High Performance Sealant)



MS Sealant
(V-Tech VT-620 LM MS Sealant)

CONSTRUCTION JOINT



MS Sealant
(V-Tech VT-625 Ultimate Construction Sealant)














INTERNAL WALL | Paint Finish

- 1 Skim Coat (Base Coat)**
(Nippon CMI® Base Mortar Grey 781SP)
- 2 Skim Coat (Top Coat)**
(Nippon CMI® WallSkim White 281)
- 3 Painting (Sealer)**
(Nippon 5300 Base Coat Sealer)
- 4 Painting (Finishing)**
(Nippon Matex Pro ECO)


EXTERNAL WALL

- 1 Surface Preparation (Optional)**
(Nippon CMI® Plaster Bonding Agent 370)
- 2 Plastering | Rendering**
(Nippon CMI® Render 082 SP)
- 3 Skim Coat (Top Coat) (Optional)**
(Nippon CMI® Base Mortar Grey EX981)
- 4 Painting (Sealer)**
(Nippon 5100 Base Coat Sealer)
- 5 Painting (Finishing)**
(Nippon Weatherbond | Advance | Solareflect)


RC WALL SOLUTIONS

| | | INTERIOR | | EXTERIOR | |
|--------|-----------------------|--|----|--|--|
| STEP 1 | SKIM COAT (BASE COAT) | GREY | or | WHITE | |
| | | <p>NIPPON CMI® BASE MORTAR GREY 781 SP</p>  | | <p>NIPPON CMI® BASE MORTAR WHITE 381 SP</p>  | |
| STEP 2 | SKIM COAT (TOP COAT) | GREY | or | WHITE | |
| | | <p>NIPPON CMI® WALLSKIM GREY 681</p>  | | <p>NIPPON CMI® WALLSKIM WHITE 281</p>  | |
| STEP 4 | SEALER | ECO FRIENDLY PAINT | | | |
| | | BASIC | | PREMIUM | |
| STEP 5 | FINISH COAT | ECO FRIENDLY PAINT | | | |
| | | GOOD WASHABILITY | | ANTIMICROBIAL | |
| | | <p>NIPPON ECO 5000</p>  | | <p>Anti-Viral & Anti-Bacterial</p> | |
| | | STANDARD | |  <p>NIPPON VIRUSGUARD NIPPON SPOT-LESS+ NIPPON VINILEX FRESH+</p> | |
| | | <p>NIPPON MATEX PRO ECO</p>  | | | |
| | | | | <p>NIPPON 5300 BASECOAT SEALER</p>  | |
| | | | | <p>NIPPON 5200 WALL SEALER</p>  | |
| | | | | <p>Good Hiding</p> | |
| | | | | <p>NIPPON 5100 WALL SEALER</p>  | |
| | | | | <p>Textured Finish</p> | |
| | | | | <p>NIPPON TILELAC EMA BASE</p>  | |
| | | | | <p>7 Years Protection</p> | |
| | | | | <p>NIPPON WEATHERBOND</p>  | |
| | | | | <p>Solar Reflective</p> | |
| | | | | <p>NIPPON WEATHERBOND SOLAREFLECT</p>  | |

TILE ADHESIVE & GROUT







INTERNAL | Tile Finish




















- 1 Plastering | Rendering**
(Nippon CMI® Masonry Mortar 086)
- 2 Waterproofing**
(Nippon CMI® Standard)
- 3 Tile Adhesive**
(Nippon CMI® TileGrip 185 | Nippon CMI® Multifix 188 |
Nippon CMI® TileFix 181 + Nippon CMI® Mortar Admix 380)
- 4 Tile**
- 5 Tile Grout**
(Nippon CMI® Tile Joint Filler
+ Nippon CMI® Mortar Admix 380)*

Note: *Dilution 1.1 with clean water

EXTERNAL FLOOR | Tile Finish


- 1 FloorScreed**
(Nippon CMI® FloorScreed 085)
- 2 Tile Adhesive**
(Nippon CMI® TileGrip 185 | Nippon CMI® Multifix 188 |
Nippon CMI® TileFix 181 + Nippon CMI® Mortar Admix 380)
- 3 Tile**
- 4 Tile Grout**
(Nippon CMI® Tile Joint Filler
+ Nippon CMI® Mortar Admix 380)*



| | | | |
|--|---|--|---|
| STEP 1 | BRICK WALL SOLUTIONS | BLOCK WALL SOLUTIONS | RC WALL SOLUTIONS |
| | BRICKLAYING  NIPPON CMI® MASONRY MORTAR 086 | BLOCK JOINTING  NIPPON CMI® BLOCKFIX 187 | SURFACE PREPARATION (OPTIONAL)  NIPPON CMI® PLASTER BONDING AGENT 370 PLASTERING / RENDERING (OPTIONAL)  NIPPON CMI® RENDER 082 SP 081 SP |
| STEP 2 | PLASTERING RENDERING  NIPPON CMI® MASONRY MORTAR 086 | SURFACE PREPARATION (OPTIONAL)  NIPPON CMI® MORTAR BOND 330 PLASTERING / RENDERING (OPTIONAL)  NIPPON CMI® RENDER 082 SP 081 SP | |
| | STEP 3 | INTERIOR | EXTERIOR |
| LIVING ROOM / BEDROOM WET KITCHEN BATHROOM WATERPROOFING  NIPPON CMI® STANDARD RIGID TYPE | | BALCONY CAR PORCH SWIMMING POOL WATERPROOFING  NIPPON CMI® FLEXIBLE FLEXIBLE TYPE | |
| STEP 4 | TILING | TILING | |
| | <small>SMALL SIZE (≤ 1'X1')</small> <small>MEDIUM SIZE (≤ 1'X2')</small> <small>VERY LARGE SIZE (≥ 2'X2')</small> <small>MEDIUM SIZE (≤ 1'X2')</small> <small>LARGE FORMAT (≤ 2'X2')</small> | <small>SMALL SIZE (≤ 1'X1')</small> <small>MEDIUM SIZE (≤ 1'X2')</small> <small>SMALL SIZE (≤ 1'X1')</small> <small>MEDIUM SIZE (≤ 1'X2')</small> <small>MOSAIC (50MM X 50MM)</small> | |
| STEP 5 | TILE ADHESIVES | TILE ADHESIVES | TILE ADHESIVES |
| |  NIPPON CMI® MULTIFIX 188 C2TE  NIPPON CMI® TILEGRIP 185 PREMIUM C2TE  NIPPON CMI® TILEFIX 181 + NIPPON CMI® MORTAR ADMIX 380 PREMIUM C2TE, FLEXI* |  NIPPON CMI® TILEGRIP 185 PREMIUM C2TE |  NIPPON CMI® TILEGRIP 185 C2TE  NIPPON CMI® TILEFIX 181 + NIPPON CMI® MORTAR ADMIX 380 PREMIUM C2TE, FLEXI*  NIPPON CMI® TILEFIX 181 + NIPPON CMI® MORTAR ADMIX 380 PREMIUM C2TE, FLEXI* |
| STEP 5 | TILE GROUTS | TILE GROUTS | TILE GROUTS |
| |  NIPPON CMI® TILE JOINT FILLER + NIPPON CMI® MORTAR ADMIX 380* |  NIPPON CMI® TILE JOINT FILLER + NIPPON CMI® MORTAR ADMIX 380* |  NIPPON CMI® TILE JOINT FILLER + NIPPON CMI® MORTAR ADMIX 380* |


Note: *Dilution 1.1 with clean water

Nippon CMI® Installation System For : EXTERNAL GENERAL AREA (FLOOR)




Notes: Ensure to leave a movement joint of at least 6mm at perimeter between wall and floor and when different material meets.

Nippon CMI® Installation System For : EXTERNAL FACADE




Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

Nippon CMI® Installation System For : EXISTING TILES




Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

Nippon CMI® Installation System For : TIMBER




Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

Nippon CMI® Installation System For : SWIMMING POOL




- Note:
- 1) Provide roofing shade for external application of waterproofing and tiling works
 - 2) Movement joint according to BS 5385: Part 1-4

Nippon CMI® Installation System For : BATHROOM




Nippon CMI® Installation System For : ALC BLOCK




- Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

Nippon CMI® Installation System For : INTERNAL GENERAL AREA




Nippon CMI® Installation System For : EXTERNAL GENERAL AREA (FLOOR)




Notes: Ensure to leave a movement joint of at least 6mm at perimeter between wall and floor and when different material meets.

Nippon CMI® Installation System For : EXTERNAL FACADE



Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4


Nippon CMI® Installation System For : EXISTING TILES



Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

Note: *Dilution 1.1 with clean water

Nippon CMI® Installation System For : TIMBER



Notes: 1) Not to scale
2) Movement joint must be incorporated as per BS 5385: Part 1-4

TOTAL COATING AND CONSTRUCTION SOLUTION PROJECT REFERENCE

| NO | PROJECT TITLE | DEVELOPER | STATE |
|----|---|---|-----------------|
| 1 | Tropicana Avenue Condominium & Office Tower | Tropicana | Selangor/KL |
| 2 | D'Nuri @ Nidoz Residences | Exsim | Selangor/KL |
| 3 | Granstep, Ampang | Granstep Development | Selangor/KL |
| 4 | The Strata, Bdr Puteri Bangi, Selangor. | IOI | Selangor/KL |
| 5 | Zenopy Residence | LBS | Selangor/KL |
| 6 | One City, Subang | MCT | Selangor/KL |
| 7 | The Valleys, Skysierra @ Setiawangsa, Kuala Lumpur | Sky World | Selangor/KL |
| 8 | Symphony Tower | Symphony Life | Selangor/KL |
| 9 | 240Unit Bdr Putera Klang, Klang, Selangor. | Malaypine Estates Sdn Bhd | Selangor/KL |
| 10 | Holiday Inn @ Warisan City, Kota Warisan Sepang | Warisan City Development Sdn Bhd | Selangor/KL |
| 11 | Horizon Bdr.Ampang Tenang, Dengkil. | Horizon L&L Sdn Bhd | Selangor/KL |
| 12 | Hospital Tanjung Karang, Tanjung Karang, Selangor. | Kementerian Kesihatan Malaysia (Ministry of Health) | Selangor/KL |
| 13 | Tiara Imperio Serviced Residence | Kueen Lai Properties Sdn Bhd | Selangor/KL |
| 14 | The Tropika Project @ Bukit Jalil | Berjaya | Selangor/KL |
| 15 | Da Men | DaMen | Selangor/KL |
| 16 | MSU University | MSU | Selangor/KL |
| 17 | QUILL 7, Petaling Jaya, Selangor. | Quill | Selangor/KL |
| 18 | Riveria, Brickfield | Titijaya | Selangor/KL |
| 19 | Agile Embassy Garden, Kuala Lumpur | Agile | Selangor/KL |
| 20 | BSP 21 Serviced Residence | LBS | Selangor/KL |
| 21 | Sky Meridien Sentul | SkyWorld | Selangor/KL |
| 22 | 3rd Nvenue Jalan Ampang | Titijaya | Selangor/KL |
| 23 | Shaftsbury Avenue, Putrajaya | Ikhasas | Selangor/KL |
| 24 | Ascenda Residence | Sky World | Selangor/KL |
| 25 | Avara Seputeh, Old Klang Road, KL. | Titijaya | Selangor/KL |
| 26 | JL 99 Residence, Batu Caves, Selangor | JL99 | Selangor/KL |
| 27 | Skypark, Cyberjaya | MCT | Selangor/KL |
| 28 | Pinnacle, Sri Petaling, Selangor. | Pinnacle Homes SP Sdn Bhd | Selangor/KL |
| 29 | VSQ 2, Petaling Jaya, Selangor | Malton | Selangor/KL |
| 30 | Kwang Tong Cemetery KL | Kwong Tong Cemetery Kuala Lumpur | Selangor/KL |
| 31 | Landmark Residences, Kajang | Cheras Hong Soon Development Sdn. Bhd | Selangor/KL |
| 32 | Lot PT 80956 Naza Equine, Bdr Putra Permai. | Naza TTDI Sdn Bhd | Selangor/KL |
| 33 | Pangsapuri Vista Sg Ramal. Kajang | Budi Plasma Sdn Bhd | Selangor/KL |
| 34 | Silk Sky @ Cheras | Cheras Hong Soon Development Sdn Bhd | Selangor/KL |
| 35 | Three 33 Residence, Kepong | TSI Holdings Sdn Bhd | Selangor/KL |
| 36 | Menara VOS, Bukit Dumar, Penang | Stallion Group | Penang |
| 37 | Coronation Square, Johor. | Coronade Properties Sdn Bhd - Johor Bahru | Johor |
| 38 | Forest City, Johor Bahru | Forest City | Johor |
| 39 | Pinji Hospital, Ipoh, Perak | PINJI HOSPITAL SDN BHD | Perak |
| 40 | Grand Ion Majestic Genting Highland. | NCT | Pahang |
| 41 | "Somerset Square, Tanah Rata, Cameron Highlands, Pahang Shop lots & Apartments" | Cergas Asal (M) Sdn Bhd | Pahang |
| 42 | Bayu Temiang Residensi, Seremban. | JY Creative Development Sdn Bhd | Negeri Sembilan |
| 43 | Forest Height, Seremban. | Sunrise MCL Land Sdn Bhd | Negeri Sembilan |
| 44 | The Rise Residence , Melacca. | Yeashin International Development Sdn Bhd Melaka | Melaka |

FOR MORE TOTAL COATING SOLUTIONS BY NIPPON PAINT, VISIT
PROFESSIONAL.NIPPONPAINT.COM.MY



NIPPON PAINT (M) SDN. BHD. (196701000578)

Lot I-17, Taman Perindustrian Subang Utama, Jalan SU 4,
40300 Shah Alam, Selangor Darul Ehsan, Malaysia.

☎ 1-800-88-2663 ✉ customercare@nipponpaint.com.my
🏠 nipponpaint.com.my | professional.nipponpaint.com.my